

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : rotasept®
Unique Formula Identifier : PE20-C04Q-900Q-C44W
(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Disinfectants
stance/Mixture

Recommended restrictions : Restricted to professional users.
on use

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.com

E-mail address of person : Application Specialists
responsible for the : +49 (0)40/ 521 00 666
SDS/Contact person : AD@schuelke.com

1.4 Emergency telephone number

Emergency telephone num- : Carechem 24 International:+44 1235 239670
ber

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Corrosive to metals, Category 1
Skin corrosion, Sub-category 1B
Serious eye damage, Category 1

H290: May be corrosive to metals.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

potassium hydroxide

Additional Labelling

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 10 - < 20
potassium hydroxide	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33-XXXX	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0.5 - < 2 % Eye Irrit. 2; H319 0.5 - < 2 %	>= 1 - < 2
Substances with a workplace exposure limit :			
propane-1,2-diol	57-55-6 200-338-0 - - - 01-2119456809-23-XXXX		>= 1 - < 10

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off all contaminated clothing immediately.
- If inhaled : No information available.
- In case of skin contact : Wash off immediately with plenty of water.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : Do NOT induce vomiting.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.
- Risks : Causes serious eye damage.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry powder
Alcohol-resistant foam
Water spray jet
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : none
- Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Increased risk of slipping in the presence of leaked / spilled product.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : not required under normal use
Advice on protection against fire and explosion : No special protective measures against fire required.

Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.

Further information on storage conditions : Keep away from heat. Keep away from direct sunlight. Keep container tightly closed. Recommended storage temperature: 5 - 25°C

Advice on common storage : Do not store near acids.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m ³	GB EH40

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

		STEL	500 ppm 1,250 mg/m ³	GB EH40
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m ³	GB EH40
		TWA (Total vapour and particles)	150 ppm 474 mg/m ³	GB EH40
potassium hydroxide	1310-58-3	STEL	2 mg/m ³	GB EH40

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m ³
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Workers	Inhalation	Long-term local effects	10 mg/m ³
potassium hydroxide	Workers	Inhalation	Long-term local effects	1 mg/m ³

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Intermittent use/release	140.9 mg/l
	Effects on waste water treatment plants	2251 mg/l
propane-1,2-diol	Oral	160 mg/kg food
	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg
	Marine sediment	57.2 mg/kg
	Soil	50 mg/kg

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection
Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Remarks : Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min.,

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

		layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	No personal respiratory protective equipment normally required.
Protective measures	:	Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	alcohol-like
Odour Threshold	:	not determined
pH	:	13.7 (20 °C) Concentration: 100 %
Melting point/freezing point	:	< -5 °C
Decomposition temperature	:	Not applicable
Boiling point/boiling range	:	ca. 80 °C
Flash point	:	36 °C Method: DIN 51755 Part 1
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	ca. 34 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	ca. 1.00 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	completely soluble (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, kinematic	:	not determined
Flow time	:	< 15 s at 20 °C

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept®

No Change Service!

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Method: DIN 53211

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : Does not sustain combustion.

Metal corrosion rate : > 6.25 mm/a
Corrosive to metals Aluminium

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : reaction with acids.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Possible incompatibility with alkali sensitive materials.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5,840 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Acute inhalation toxicity : LC50 (Rat): 39 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 13,900 mg/kg
Method: OECD Test Guideline 402

potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 365 mg/kg
Method: OECD Test Guideline 425
Assessment: Harmful if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

propane-1,2-diol:

Acute oral toxicity : LD50 Oral (Rat): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Assessment : Causes severe skin burns and eye damage.
Result : Corrosive after 3 minutes to 1 hour of exposure

Components:

propan-2-ol:

Result : No skin irritation

potassium hydroxide:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Result : Corrosive after 3 minutes or less of exposure

propane-1,2-diol:

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept®

No Change Service!

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Components:

propan-2-ol:

||Result : Eye irritation

potassium hydroxide:

||Species : Rabbit
||Method : OECD Test Guideline 405
||Result : Irreversible effects on the eye

propane-1,2-diol:

||Result : Mildly irritant - does not need to be labelled

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

propan-2-ol:

||Test Type : Buehler Test
||Species : Guinea pig
||Result : Did not cause sensitisation on laboratory animals.

potassium hydroxide:

||Species : Guinea pig
||Result : Did not cause sensitisation on laboratory animals.

propane-1,2-diol:

||Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

propan-2-ol:

||Genotoxicity in vitro : Test Type: Ames test
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: Non mutagenic
||Genotoxicity in vivo : Species: Mouse
Method: Mutagenicity (micronucleus test)
Result: Non mutagenic
||Germ cell mutagenicity- As- : Not mutagenic in Ames Test

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept®

No Change Service!

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Assessment

potassium hydroxide:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity- Assessment : Non mutagenic

Carcinogenicity

Not classified based on available information.

Components:

propan-2-ol:

Remarks : Based on available data, the classification criteria are not met.

potassium hydroxide:

Carcinogenicity - Assessment : No data available

propane-1,2-diol:

Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

propan-2-ol:

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 400 mg/kg body weight

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

potassium hydroxide:

Reproductive toxicity - Assessment : No data available

propane-1,2-diol:

Reproductive toxicity - Assessment : Did not show carcinogenic or teratogenic effects in animal experiments.

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept®

No Change Service!

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Components:

propan-2-ol:

|| Assessment : May cause drowsiness or dizziness.

potassium hydroxide:

|| Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

propane-1,2-diol:

|| Assessment : Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

propan-2-ol:

|| Remarks : Based on available data, the classification criteria are not met.

potassium hydroxide:

|| Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

propan-2-ol:

|| Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Components:

propane-1,2-diol:

|| No aspiration toxicity classification

Further information

Product:

Remarks : There is no data available for this product.

SECTION 12: Ecological information

12.1 Toxicity

Product:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Toxicity to microorganisms : EC50 : 10,700 mg/l
Method: OECD 209

Components:

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 10,000 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
plants Exposure time: 72 h
Test Type: static test

EC50 (green algae): 1,800 mg/l
Exposure time: 7 d

potassium hydroxide:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 80 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other : Remarks: No data available
aquatic invertebrates

Toxicity to algae/aquatic : Remarks: No data available
plants

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss): 40,613 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other : LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)):
plants 19,000 mg/l
Exposure time: 96 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Toxicity to daphnia and other : NOEC: 13,020 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

aquatic invertebrates (Chronic toxicity)

Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)

12.2 Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.
Method: OECD 301D / EEC 84/449 C6

Components:

propan-2-ol:

Biodegradability : Result: Readily biodegradable.

potassium hydroxide:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable, according to appropriate OECD test.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Result: Readily biodegradable, according to appropriate OECD test.
Biodegradation: 96 %
Exposure time: 64 d
Method: OECD Test Guideline 306

12.3 Bioaccumulative potential

Components:

propan-2-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water

: log Pow: 0.05 (20 °C)
Method: OECD Test Guideline 107

potassium hydroxide:

Bioaccumulation : Remarks: Does not bioaccumulate.

propane-1,2-diol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09
Remarks: No bioaccumulation is to be expected (log Pow <= 4).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Partition coefficient: n-octanol/water : log Pow: -1.07

12.4 Mobility in soil

Components:

propan-2-ol:

Mobility : Remarks: Mobile in soils

potassium hydroxide:

Mobility : Remarks: Mobile in soils

propane-1,2-diol:

Mobility : Medium: Soil
Remarks: Mobile in soils

Distribution among environmental compartments : Koc: < 1

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

propane-1,2-diol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758



rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : UN 1814
IMDG : UN 1814
IATA : UN 1814

14.2 UN proper shipping name

ADR : POTASSIUM HYDROXIDE SOLUTION
IMDG : POTASSIUM HYDROXIDE SOLUTION
IATA : Potassium hydroxide solution

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 8	
IMDG	: 8	
IATA	: 8	

14.4 Packing group

ADR
Packing group : III
Classification Code : C5
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

IMDG
Packing group : III
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo aircraft) : 856
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft) : 852
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosive

14.5 Environmental hazards

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 10.15 %

according to Detergents Regulation EC 648/2004 : < 5%: Non-ionic surfactants

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

rotasept®

No Change Service!

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

SECTION 16: Other information **Full text of H-Statements**

H225	:	Highly flammable liquid and vapour.
H290	:	May be corrosive to metals.
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H336	:	May cause drowsiness or dizziness.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Met. Corr.	:	Corrosive to metals
Skin Corr.	:	Skin corrosion
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

rotasept® **No Change Service!**

Version
03.09

Revision Date:
13.11.2023

Date of last issue: 05.09.2022

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Met. Corr. 1	H290
Skin Corr. 1B	H314
Eye Dam. 1	H318

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.