

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758



thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : thermosept® ER
Unique Formula Identifier (UFI) : 8V92-T0HV-3002-G9K3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Cleaning agent

Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.com

E-mail address of person responsible for the SDS/Contact person : Application Specialists
+49 (0)40/ 521 00 666
AD@schuelke.com

1.4 Emergency telephone number

Emergency telephone number : Carechem 24 International:+44 1235 239670

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

|| Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

Additional Labelling

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture with the following substances and non dangerous additives.

Hazardous components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

	Registration number		
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 1 - < 10
Alcohols, C13-15-branched and linear, butoxylated ethoxylated	111905-53-4 - - - - - - - - -	Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2.5 - < 10
Alcohols, C9-11-branched and linear, butoxylated ethoxylated	111905-52-3 - - - - - - - - -	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2.5 - < 10
sodium p-cumenesulphonate	15763-76-5 239-854-6 - - - 01-2119489411-37-XXXX	Eye Irrit. 2; H319	>= 1 - < 10
Substances with a workplace exposure limit :			
propane-1,2-diol	57-55-6 200-338-0 - - - 01-2119456809-23-XXXX		>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off contaminated clothing and shoes immediately.
- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Wash with water and soap as a precaution.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : Do NOT induce vomiting.
Drink water as a precaution.
Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.
- Risks : Causes serious eye irritation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder
Carbon dioxide (CO₂)
Water spray jet
Foam

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No information available.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Wear personal protective equipment.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

Advice on protection against fire and explosion : No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container. Do not store at temperatures above 30°C.

Further information on storage conditions : Keep away from heat. Keep away from direct sunlight. Keep container tightly closed. Recommended storage temperature: -5 - 25°C

Advice on common storage : No materials to be especially mentioned.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m ³	GB EH40
		TWA (Total vapour and particles)	150 ppm 474 mg/m ³	GB EH40
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m ³	GB EH40

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Workers	Inhalation	Long-term local effects	10 mg/m ³
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m ³
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m ³
sodium p-cumenesulphonate	Workers	Skin contact	Long-term systemic effects	191 mg/kg
	Workers	Skin contact	Long-term local effects	0.096 mg/cm ²
	Workers	Inhalation	Long-term systemic effects	37.4 mg/m ³

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

propane-1,2-diol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg
	Marine sediment	57.2 mg/kg
	Soil	50 mg/kg
	ethanol	Fresh water
Marine water		0.79 mg/l
Fresh water sediment		3.6 mg/kg
Soil		0.63 mg/kg
Marine sediment		2.9 mg/kg
sodium p-cumenesulphonate	Sewage treatment plant	580 mg/l
	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0.372 mg/kg
	Marine sediment	0.0372 mg/kg
Soil	0.016 mg/kg	

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : If splashes are likely to occur, wear:
Safety glasses with side-shields conforming to EN166
- Hand protection
Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection. Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection.
- Skin and body protection : Work uniform or laboratory coat.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Avoid contact with eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : light yellow
- Odour : alcohol-like
- Odour Threshold : not determined
- pH : 6 - 7.5 (20 °C)
Concentration: 100 %

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

Melting point/freezing point	:	< -5 °C
Decomposition temperature	:	No data available
Boiling point/boiling range	:	ca. 90 °C
Flash point	:	45 °C Method: DIN 51755 Part 1
Evaporation rate	:	No data available
Flammability (solid, gas)	:	
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	ca. 50 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	ca. 1.00 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	> 100 g/l (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	Not applicable
Viscosity	:	
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	:	Does not sustain combustion. Method: DIN EN ISO 9038
Metal corrosion rate	:	< 6.25 mm/a Not corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Never mix concentrates directly.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2,000 - < 5,000 mg/kg
Method: OECD Test Guideline 401

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

Acute inhalation toxicity : (Rat): Exposure time: 8 h
Assessment: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : Remarks: No data available

sodium p-cumenesulphonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 Oral (Rat): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Species : Rabbit
Result : Skin irritation

sodium p-cumenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation
Remarks : Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

propane-1,2-diol:

||Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

ethanol:

||Method : OECD Test Guideline 405
||Result : Eye irritation

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

||Species : Rabbit
||Method : OECD Test Guideline 405
||Result : Eye irritation

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

||Species : Bovine cornea
||Method : OECD Test Guideline 437
||Result : Eye irritation

sodium p-cumenesulphonate:

||Species : Rabbit
||Method : OECD Test Guideline 405
||Result : Eye irritation

propane-1,2-diol:

||Result : Mildly irritant - does not need to be labelled

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

ethanol:

||Test Type : Maximisation Test
||Species : Guinea pig
||Method : OECD Test Guideline 406
||Result : Did not cause sensitisation on laboratory animals.

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

||Remarks : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

sodium p-cumenesulphonate:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

propane-1,2-diol:

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Result: Non mutagenic

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Result: negative

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Germ cell mutagenicity- Assessment : Experiments showed mutagenic effects in cultured bacterial cells.

sodium p-cumenesulphonate:

Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Result: Non mutagenic

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

propane-1,2-diol:

Germ cell mutagenicity- Assessment : Non mutagenic

Carcinogenicity

Not classified based on available information.

Components:

ethanol:

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Carcinogenicity - Assessment : No data available

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Carcinogenicity - Assessment : No data available

sodium p-cumenesulphonate:

Species : Rat
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : no increase in tumors observed

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

ethanol:

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 5,200 mg/kg bw/day
Developmental Toxicity: NOAEL: 5,200 mg/kg bw/day

Reproductive toxicity - Assessment : Animal experiments showed mutagenic and teratogenic effects.

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Reproductive toxicity - Assessment : No data available

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Reproductive toxicity - Assessment : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

Assessment

sodium p-cumenesulphonate:

- Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg bw/day
General Toxicity F1: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
- Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 936 mg/kg body weight
Teratogenicity: NOAEL: 936 mg/kg bw/day
- Reproductive toxicity - Assessment : study scientifically unjustified

propane-1,2-diol:

- Reproductive toxicity - Assessment : Did not show carcinogenic or teratogenic effects in animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

ethanol:

- Remarks : No data available

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

- Remarks : No data available

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

- Remarks : No data available

sodium p-cumenesulphonate:

- Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

propane-1,2-diol:

- Assessment : Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

ethanol:

- Remarks : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Remarks : No data available

sodium p-cumenesulphonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ethanol:

Species : Rat
NOAEL : 1,730 mg/kg
LOAEL : 3,160 mg/kg
Application Route : Oral
Exposure time : 90 d

sodium p-cumenesulphonate:

Species : Rat
NOAEL : 763 mg/kg
Application Route : Oral
Target Organs : Cardio-vascular system
Remarks : Subchronic toxicity

Species : Rat
NOAEL : 60 mg/kg
Application Route : Dermal
Exposure time : 2 yr
Method : OECD Test Guideline 453
Target Organs : Skin

Aspiration toxicity

Not classified based on available information.

Components:

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

No aspiration toxicity classification

propane-1,2-diol:

No aspiration toxicity classification

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to microorganisms : EC50 : 3,750 mg/l
Method: OECD 209

Components:

ethanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5,000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Toxicity to fish : LC50 (Leuciscus idus): > 1 - 10 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - < 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - < 10 mg/l
Exposure time: 48 h
Method: Read-across (Analogy)

Toxicity to algae/aquatic plants : EC50 (algae): > 10 - < 100 mg/l
Method: Read-across (Analogy)

NOEC (algae): > 0.1 - < 1.0 mg/l
Method: Read-across (Analogy)

Toxicity to microorganisms : EC10 (activated sludge): > 1,000 mg/l

Toxicity to fish (Chronic tox- : Remarks: No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

icity)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1.0 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

sodium p-cumenesulphonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss): 40,613 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 19,000 mg/l
Exposure time: 96 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)

12.2 Persistence and degradability

Components:

ethanol:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 5 d
Method: OECD 301D / EEC 84/449 C6

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 - 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301A

Alcohols, C9-11-branched and linear, butoxylated ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Method: OECD Test Guideline 301B

sodium p-cumenesulphonate:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable, according to appropriate
OECD test.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Result: Readily biodegradable, according to appropriate
OECD test.
Biodegradation: 96 %
Exposure time: 64 d
Method: OECD Test Guideline 306

12.3 Bioaccumulative potential

Components:

ethanol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-
octanol/water : log Pow: -0.14
Method: Calculated value

sodium p-cumenesulphonate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

propane-1,2-diol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09
Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n- : log Pow: -1.07

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

||octanol/water

12.4 Mobility in soil

Components:

ethanol:

||Mobility : Remarks: No data available

sodium p-cumenesulphonate:

||Mobility : Remarks: Not expected to adsorb on soil.

propane-1,2-diol:

||Mobility : Medium: Soil
Remarks: Mobile in soils

||Distribution among environmental compartments : Koc: < 1

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

propane-1,2-diol:

||Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758



thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as supporting combustion according to the transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained) : Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER **No Change Service!**

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

Regulation (EU) 2019/1021 as amended for Great Britain)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 14.32 %

according to Detergents Regulation EC 648/2004 : 5 - < 15%: Non-ionic surfactants
< 5%: Anionic surfactants
Other constituents: Enzymes

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIRC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Alcohols, C9-11-branched and linear, butoxylated ethoxylated sodium p-cumenesulphonate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

15.2 Chemical safety assessment

|| No Chemical Safety Assessment has been carried out for this mixture.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H319 : Causes serious eye irritation.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758



thermosept® ER *No Change Service!*

Version
05.00

Revision Date:
08.01.2024

Date of last issue: 24.09.2022

|| Eye Irrit. 2

H319

Calculation method

|| Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.