According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® neutralizer

Version	Revision Date:	Date of last issue: 17.10.2023
04.05	13.12.2024	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

No Change Service!

1.1	Product identifier Trade name Unique Formula Identifier (UFI)	:	thermodent® neutralizer N9D2-Y0UY-N00W-0UVW
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Decalcification agent
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	safe	ety data sheet
	Producer	:	Schülke & Mayr GmbH Robert-Koch-Str. 2
			22851 Norderstedt Germany Telephone: +49 (0)40/ 52100-0 Telefax: +49 (0)40/ 52100318 mail@schuelke.com www.schuelke.com
	Supplier	:	Schülke & Mayr UK Ltd. Cygnet House 1, Jenkin Road
			Sheffield S9 1AT United Kingdom Telephone: +44 114 254 35 00 Telefax: +44 114 254 35 01 mail.uk@schulke.com
	E-mail address of person responsible for the SDS/Contact person	:	Application Specialists +49 (0)40/ 521 00 666 AD@schuelke.com
1.4	Emergency telephone numbe	er	
	Emergency telephone num- ber	:	Carechem 24 International:+44 1235 239670

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® neutralizer

Version **Revision Date:** 04.05 13.12.2024

No Change Service!

Date of last issue: 17.10.2023

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Corrosive to metals, Category 1 Eye irritation, Category 2 Specific target organ toxicity - single exposure, Category 3, Respiratory system H290: May be corrosive to metals.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H290 May be corrosive to metals.H319 Causes serious eye irritation.H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing vapours.
		Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa- ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature Solution of the following substances with harmless additives. :

Hazardous components

		Dama 0/44		
		Index-No.		
		EC-No.		(% w/w)
ſ	Chemical name	CAS-No.	Classification	Concentration

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

thermodent® neutralizer

Version 04.05

Revision Date: 13.12.2024

No Change Service!

Date of last issue: 17.10.2023

schülke ->

	Registration number		
1,2,3-Propanetricarboxylic acid, 2- hydroxy-, monohydrate	5949-29-1 201-069-1 01-2119457026-42- XXXX	Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory sys- tem) STOT SE 3; H335 (Respiratory sys- tem)	>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Take off all contaminated clothing immediately.
If inhaled	: If breathed in, move person into fresh air.
In case of skin contact	: Wash with water and soap as a precaution. If symptoms persist, call a physician.
In case of eye contact	 In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. If eye irritation persists, consult a specialist.
If swallowed	: Rinse mouth with water. Give small amounts of water to drink. Consult a physician if necessary.
2 Most important symptoms	and effects, both acute and delayed
Symptome	Troat symptomatically

4.2

Symptoms	:	Treat symptomatically.
Risks	:	Causes serious eye irritation. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	For specialist advice physicians should contact the Poisons
		Information Service.

SECTION 5: Firefighting measures

5.1 Exting	uishing media		
Suitab	le extinguishing media	:	Dry powder Foam Water spray jet Carbon dioxide (CO2)
Unsuit media	able extinguishing	:	Do NOT use water jet.

Version

04.05

thermodent® neutralizer

Revision Date:

13.12.2024

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke ->

5.2 Special hazards arising from the substance or mixture
Hazardous combustion prod- : No hazardous combustion products are known ucts
5.3 Advice for firefighters
Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters
SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures
Personal precautions : Use personal protective equipment.
6.2 Environmental processions
6.2 Environmental precautions Environmental precautions : Avoid subsoil penetration.
6.3 Methods and material for containment and cleaning up
Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
6.4 Reference to other sections see Section 8 + 13
SECTION 7: Handling and storage
7.1 Precautions for safe handling
Advice on safe handling : Never mix concentrates directly.
Advice on protection against : No special protective measures against fire required. fire and explosion
Hygiene measures : Keep away from food and drink.
7.2 Conditions for safe storage, including any incompatibilities
Requirements for storage : Store at room temperature in the original container. areas and containers
Further information on stor- age conditions:Keep away from heat. Keep container tightly closed. Recom- mended storage temperature: 5 - 25°C
Advice on common storage : No materials to be especially mentioned.

No Change Service!

Date of last issue: 17.10.2023

7.3 Specific end use(s	s)	
------------------------	----	--

Specific use(s)	:	none
-----------------	---	------

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

thermodent® neutralizer

Version	Revision Date:
04.05	13.12.2024
04.00	10.12.2024

No Change Service!

Date of last issue: 17.10.2023

schülke ->

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
1,2,3-Propanetricarboxylic acid,	Fresh water	0.44 mg/l
2-hydroxy-, monohydrate		
	Marine water	0.044 mg/l
	Fresh water sediment	7.52 mg/kg
	Marine sediment	0.752 mg/kg
	Soil	29.2 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection	:	Safety glasses with side-shields conforming to EN166
Directive	:	The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Remarks	:	Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Pro- longed contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protec- tion.
Skin and body protection Respiratory protection	:	Work uniform or laboratory coat. No personal respiratory protective equipment normally re-
	•	quired.
Protective measures	:	Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	liquid colourless nearly odourless not determined
:	1 (20 °C) Concentration: 100 %
:	ca. 0 °C
	Not applicable
:	ca. 100 °C
	:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

thermodent® neutralizeVersionRevision Date:04.0513.12.2024	er	<i>No Change Service!</i> Date of last issue: 17.10.2023
Flash point	:	Not applicable
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	ca. 25 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	ca. 1.17 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	completely soluble (20 °C)
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, dynamic	:	ca. 4 mPa*s Method: ISO 3219
Viscosity, kinematic	:	not determined
Explosive properties	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
9.2 Other information Flammability (liquids)	:	Will not burn
Metal corrosion rate	:	> 6.25 mm/a Corrosive to metals Aluminium and Mild steel

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Z11465 ZSDB_P_GB EN



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® neutralizer No Change Service!

Version	Revision Date:	Date of last issue: 17.10.2023
04.05	13.12.2024	

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Metals

10.6 Hazardous decomposition products

None reasonably foreseeable. No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Acute oral toxicity	:	LD50 (Mouse): 5,400 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity		LD50 (Rat): > 2,000 mg/kg
Acute toxicity (other routes of administration)	:	LD50 intravenous (Rat): 725 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Species Result Remarks	:	Rabbit
Result	:	Mild skin irritation
Remarks	:	Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Species	: Rabbit
Method	: OECD Test Guideline 405
Species Method Result	: Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® neutralizer

Version	Revision Date:
04.05	13.12.2024

No Change Service! Date of la

Date of last issue: 17.10.2023

Respiratory sensitisation

Not classified based on available information.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Method Result	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Genotoxicity in vitro :		Test Type: Ames test Test system: Salmonella typhimurium Concentration: 0 - 5 mg/ plate Method: Mutagenicity (Salmonella typhimurium - reverse mu- tation assay) Result: negative
		Test Type: Micronucleus test Test system: Human lymphocytes Method: Mutagenicity (in vitro mammalian cytogenetic test) Result: positive
Genotoxicity in vivo	:	Species: Rat Application Route: Oral Method: OECD Test Guideline 475 Result: negative
Germ cell mutagenicity- As- sessment	:	In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified based on available information.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Carcinogenicity - Assess-	:	Not classifiable as a human carcinogen.
ment		

Reproductive toxicity

Not classified based on available information.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Effects on foetal develop- ment	:	Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 2,500 mg/kg body weight
Reproductive toxicity - As- sessment	:	No toxicity to reproduction

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® neutralizer

04.05 13.12.2024	

No Change Service!

Date of last issue: 17.10.2023

STOT - single exposure

May cause respiratory irritation.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Exposure routes	:	Inhalation
Assessment	:	May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Remarks	:	No data available
i tornanto	•	

Repeated dose toxicity

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Species NOAEL	:	Rat
NOAEL	:	4,000 mg/kg
LOAEL	:	8,000 mg/kg
Application Route	:	Oral
Exposure time	:	10 d

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Inhalation : Target Organs: respiratory tract irritation

Further information

Product:

Remarks

: No data is available on the product itself.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l Exposure time: 96 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

thermodent® neutralizer

No Change Service! **Revision Date:** Version Date of last issue: 17.10.2023 04.05 13.12.2024 EC50 (Daphnia magna): 85 - 120 mg/l Toxicity to daphnia and other : aquatic invertebrates Exposure time: 72 h NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l Toxicity to algae/aquatic : Exposure time: 8 Days plants Test Type: static test Toxicity to microorganisms : (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h

12.2 Persistence and degradability

Product:

	Result: Readily biodegradable. Method: OECD 301D / EEC 84/449 C6
--	---

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d
	Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

Bioaccumulation Remarks: No bioaccumulation is to be expected (log Pow <= : 4).

12.4 Mobility in soil

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:

: Remarks: No data available Mobility

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
	-

12.6 Other adverse effects

Product:

Endocrine disrupting poten-	: The substance/mixture does not contain components consid-
tial	ered to have endocrine disrupting properties according to



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermode Version 04.05	ent® neutralize Revision Date: 13.12.2024	No Change Service! Date of last issue: 17.10.2023
Additiona mation	al ecological infor-	REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number			
ADR	:	UN 3265	
IMDG	:	UN 3265	
ΙΑΤΑ	:	UN 3265	
14.2 UN proper shipping name			
ADR	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (citric acid)	
IMDG	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (citric acid)	
ΙΑΤΑ	:	Corrosive liquid, acidic, organic, n.o.s. (citric acid)	
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR	:	8	
IMDG	:	8	
ΙΑΤΑ	:	8	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: : : :	III C3 80 8 (E)	
IMDG Packing group Labels	:	 8	

schülke ->

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

thermodent® neutralizer

No Change Service! Version **Revision Date:** Date of last issue: 17.10.2023 04.05 13.12.2024 EmS Code : F-A, S-B IATA (Cargo) Packing instruction (cargo 856 : aircraft) Packing instruction (LQ) 2 Y841 Packing group 1 Labels ÷ Corrosive IATA (Passenger) Packing instruction (passen-: 852 ger aircraft) Packing instruction (LQ) ÷ Y841 Packing group : Ш Labels : Corrosive 14.5 Environmental hazards ADR

Environmentally hazardous	:	no
IMDG		
Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
		4 November 2010 on industrial ution prevention and control)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

thermoden Version 04.05	ter neutralizer Revision Date: 13.12.2024	No Change Service! Date of last issue: 17.10.2023
The compo	nents of this produc	are reported in the following inventories:
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

schülke ->

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements	
11040	

H319 H335		Causes serious eye irritation. May cause respiratory irritation.	
Full text of other abbreviatio	ns		
Eye Irrit.	:	Eye irritation	

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® neutralizer

Version 04.05	Revision Date: 13.12.2024	Date of last issue: 17.10.2023

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

No Change Service!

Further information					
Classification of the mixture:		Classification procedure:			
Met. Corr. 1	H290	Based on product data or assessment			
Eye Irrit. 2	H319	Calculation method			
STOT SE 3	H335	Calculation method			

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.