

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean **No Change Service!**

Version Revision Date: Date of last issue: 19.09.2022
03.08 17.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : thermodent® alka clean
Unique Formula Identifier : 3V90-D067-X00R-WTUH
(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaning agent
stance/Mixture

Recommended restrictions : Restricted to professional users.
on use

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.com

E-mail address of person : Application Specialists
responsible for the +49 (0)40/ 521 00 666
SDS/Contact person AD@schuelke.com

1.4 Emergency telephone number

Emergency telephone num- : Carechem 24 International:+44 1235 239670
ber

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke -t

thermodent® alka clean **No Change Service!**

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin irritation, Category 2

H315: Causes skin irritation.

Serious eye damage, Category 1

H318: Causes serious eye damage.

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P280 Wear protective gloves/ eye protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Hazardous components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

	Registration number		
trisodium nitrilotriacetate	5064-31-3 225-768-6 607-620-00-6 01-2119519239-36-XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Carc. 2; H351 specific concentration limit Carc. 2; H351 ≥ 5 %	≥ 1 - < 5
sodium p-cumenesulphonate	15763-76-5 239-854-6 - - - 01-2119489411-37-XXXX	Eye Irrit. 2; H319	≥ 1 - < 10
potassium hydroxide	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33-XXXX	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1A; H314 ≥ 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0.5 - < 2 % Eye Irrit. 2; H319 0.5 - < 2 %	≥ 1 - < 2
sodium etasulfate	126-92-1 204-812-8 - - - 01-2119971586-23-XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 specific concentration limit Eye Irrit. 2; H319 > 10 - < 20 % Eye Dam. 1; H318 > 20 %	≥ 1 - < 3
Substances with a workplace exposure limit :			
glycerol	56-81-5 200-289-5 - - - - - -		≥ 1 - < 10

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758



thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off all contaminated clothing immediately.
- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty
of water and seek medical advice.
- If swallowed : Rinse mouth with water.
Give small amounts of water to drink.
Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.
- Risks : Causes skin irritation.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons
Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry powder
Carbon dioxide (CO₂)
Water spray jet
Foam
- Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : No information available.
- Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® alka clean **No Change Service!**

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Never mix concentrates directly.
Advice on protection against fire and explosion : No special protective measures against fire required.

Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.

Further information on storage conditions : Keep away from heat. Keep away from direct sunlight. Keep container tightly closed. Recommended storage temperature: -5 - 25°C

Advice on common storage : Do not store together with explosive, infectious and radioactive products.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
glycerol	56-81-5	TWA (Mist)	10 mg/m ³	GB EH40
potassium hydrox-	1310-58-3	STEL	2 mg/m ³	GB EH40

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

	ide			
--	-----	--	--	--

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
trisodium nitrilotriacetate	Workers	Inhalation	Short-term exposure, Systemic effects, Local effects	5.25 mg/m ³
	Workers	Inhalation	Long-term exposure, Systemic effects, Local effects	3.5 mg/m ³
Silicic acid, potassium salt	Workers	Skin contact	Long-term systemic effects	1.49 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5.61 mg/m ³
sodium p-cumenesulphonate	Workers	Skin contact	Long-term systemic effects	191 mg/kg
	Workers	Skin contact	Long-term local effects	0.096 mg/cm ²
	Workers	Inhalation	Long-term systemic effects	37.4 mg/m ³
potassium hydroxide	Workers	Inhalation	Long-term local effects	1 mg/m ³
	sodium etasulfate	Workers	Skin contact	Long-term systemic effects
Workers		Inhalation	Long-term systemic effects	285 mg/m ³

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
trisodium nitrilotriacetate	Fresh water	0.93 mg/l
	Marine water	0.093 mg/l
	Fresh water sediment	3.64 mg/kg
	Marine sediment	0.364 mg/kg
	Sewage treatment plant	540 mg/l
	Intermittent use/release	0.915 mg/l
	Soil	0.182 mg/kg
Silicic acid, potassium salt	Fresh water	7.5 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	348 mg/l
	Intermittent use/release	7.5 mg/l
sodium p-cumenesulphonate	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0.372 mg/kg
sodium etasulfate	Marine sediment	0.0372 mg/kg
	Soil	0.016 mg/kg
	Fresh water	0.136 mg/l
	Marine water	0.0136 mg/l
	Fresh water sediment	1.5 mg/kg
	Marine sediment	0.15 mg/kg
	Soil	0.22 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

	Effects on waste water treatment plants	1.35 mg/l
--	---	-----------

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection
Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Remarks : Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.
- Skin and body protection : Work uniform or laboratory coat.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : nearly colourless
- Odour : characteristic
- Odour Threshold : not determined
- pH : 12 - 12.8 (20 °C)
Concentration: 100 %
- Melting point/freezing point : < -5 °C
- Decomposition temperature : Not applicable
- Boiling point/boiling range : ca. 100 °C
- Flash point : > 70 °C
Method: DIN 51755 Part 1
- Evaporation rate : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

Relative vapour density	:	No data available
Density	:	ca. 1.08 g/cm ³ (20 °C, 1,013 hPa)
Solubility(ies) Water solubility	:	completely soluble (20 °C)
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, dynamic	:	ca. 3 mPa*s Method: ISO 3219
Viscosity, kinematic	:	not determined
Explosive properties	:	Not applicable
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	:	Not applicable
Metal corrosion rate	:	None reasonably foreseeable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with acids.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Possible incompatibility with alkali sensitive materials.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

trisodium nitrilotriacetate:

Acute oral toxicity : LD50 (Rat, female): 1,300 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit, male and female): > 10,000 mg/kg

sodium p-cumenesulphonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 365 mg/kg
Method: OECD Test Guideline 425
Assessment: Harmful if swallowed.
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available

sodium etasulfate:

Acute oral toxicity : LD50 (Rat): 2,840 mg/kg
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

glycerol:

Acute oral toxicity : LD50 (Rat, female): 27,200 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

	Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat, male): > 5.85 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 412
Acute dermal toxicity	: LD50 (Guinea pig, male and female): 56,750 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

trisodium nitrilotriacetate:

Species	: Rabbit
Method	: Draize Test
Result	: No skin irritation

sodium p-cumenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: slight irritation
Remarks	: Based on available data, the classification criteria are not met.

potassium hydroxide:

Species	: reconstructed human epidermis (RhE)
Method	: OECD Test Guideline 431
Result	: Corrosive after 3 minutes or less of exposure

sodium etasulfate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

trisodium nitrilotriacetate:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Eye irritation

sodium p-cumenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Eye irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

potassium hydroxide:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

sodium etasulfate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

trisodium nitrilotriacetate:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

sodium p-cumenesulphonate:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

potassium hydroxide:

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

sodium etasulfate:

Method : OECD Test Guideline 429
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

trisodium nitrilotriacetate:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects
Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

sodium p-cumenesulphonate:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Result: Non mutagenic

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

potassium hydroxide:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

sodium etasulfate:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Bacteria
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

trisodium nitrilotriacetate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 9.2 mg/kg body weight
Result : Limited evidence of carcinogenicity in animal studies (oral)

Carcinogenicity - Assessment : Suspected of causing cancer.

sodium p-cumenesulphonate:

Species : Rat
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : no increase in tumors observed

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

potassium hydroxide:

Carcinogenicity - Assessment : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

||ment

sodium etasulfate:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Dose : > 1125 mg/kg body weight

Reproductive toxicity

Not classified based on available information.

Components:

trisodium nitrilotriacetate:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: LOAEL: 450 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Species: Rabbit, female
Application Route: Oral
Duration of Single Treatment: 9 d
Teratogenicity: NOAEL: 250 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

sodium p-cumenesulphonate:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg bw/day
General Toxicity F1: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 421

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 936 mg/kg body weight
Teratogenicity: NOAEL: 936 mg/kg bw/day

Reproductive toxicity - Assessment : study scientifically unjustified

potassium hydroxide:

Reproductive toxicity - Assessment : No data available

sodium etasulfate:

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 250 milligram per kilogram
Result: negative
Remarks: Did not show teratogenic effects in animal experiments.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

Reproductive toxicity - Assessment : No data available

STOT - single exposure

Not classified based on available information.

Components:

trisodium nitrilotriacetate:

Remarks : Based on available data, the classification criteria are not met.

sodium p-cumenesulphonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

potassium hydroxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

sodium etasulfate:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

trisodium nitrilotriacetate:

Exposure routes : Ingestion
Target Organs : Kidney
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

sodium p-cumenesulphonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

potassium hydroxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

sodium etasulfate:

Remarks : No data available

Repeated dose toxicity

Components:

trisodium nitrilotriacetate:

Species : Rat, male and female

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758



thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

NOAEL : 0.21 mg/l
Application Route : inhalation (dust/mist/fume)
Test atmosphere : dust/mist
Exposure time : 28-day 6 h
Number of exposures : 5 Tage/ Woche

Species : Rabbit, male and female
NOAEL : 50 mg/kg
Application Route : Skin contact
Exposure time : 90-day

Species : Rat, male and female
NOAEL : 92 mg/kg
Application Route : Oral

sodium p-cumenesulphonate:

Species : Rat
NOAEL : 763 mg/kg
Application Route : Oral
Target Organs : Cardio-vascular system
Remarks : Subchronic toxicity

Species : Rat
NOAEL : 60 mg/kg
Application Route : Dermal
Exposure time : 2 yr
Method : OECD Test Guideline 453
Target Organs : Skin

sodium etasulfate:

Species : Rabbit
NOAEL : 488 mg/kg
Application Route : Oral
Exposure time : 90-day

Species : Mouse
NOAEL : 400 mg/kg
Application Route : Skin contact
Exposure time : 90-day

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data is available on the product itself.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

SECTION 12: Ecological information

12.1 Toxicity

Components:

trisodium nitrilotriacetate:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Gammarus salinus (seawater shrimp)): 98 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 91.5 mg/l Exposure time: 72 h Test Type: static test
		NOEC (Desmodesmus subspicatus (green algae)): 1.43 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	LC50: 90.5 mg/l Exposure time: 27 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 9.3 mg/l Exposure time: 21 Weeks Species: Gammarus fasciatus (freshwater shrimp)

sodium p-cumenesulphonate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h

potassium hydroxide:

Toxicity to fish	:	LC50 (Gambusia affinis (Mosquito fish)): 80 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available

Ecotoxicology Assessment

Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
--------------------------	---	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

sodium etasulfate:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 483 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 511 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC: \geq 1,357 mg/l Exposure time: 42 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 1.4 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

glycerol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h

12.2 Persistence and degradability

Product:

Biodegradability	:	Result: Readily biodegradable. Method: OECD 301D / EEC 84/449 C6
------------------	---	---

Components:

trisodium nitrilotriacetate:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d
------------------	---	--

sodium p-cumenesulphonate:

Biodegradability	:	Test Type: aerobic Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

potassium hydroxide:

Biodegradability	:	Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
------------------	---	---

sodium etasulfate:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

Biodegradability : Result: Readily biodegradable.
Biodegradation: 89 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

trisodium nitrilotriacetate:

Bioaccumulation : Species: Brachidanio rerio
Exposure time: 96 d
Bioconcentration factor (BCF): < 3
Remarks: No bioaccumulation is to be expected (log Pow <= 4).
Does not significantly accumulate in organisms.

Partition coefficient: n-octanol/water : log Pow: -13.2

sodium p-cumenesulphonate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

potassium hydroxide:

Bioaccumulation : Remarks: Does not bioaccumulate.

sodium etasulfate:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -0.248

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.75 (25 °C)
Method: OECD Test Guideline 107

12.4 Mobility in soil

Components:

trisodium nitrilotriacetate:

Mobility : Remarks: Substance does not evaporate from water surface into the atmosphere., Not expected to adsorb on soil.

sodium p-cumenesulphonate:

Mobility : Remarks: Not expected to adsorb on soil.

potassium hydroxide:

Mobility : Remarks: Mobile in soils

sodium etasulfate:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

|| Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

14.4 Packing group

- ADR** : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

- UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3
- UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable
- The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable
- Regulation (EC) on substances that deplete the ozone layer : Not applicable
- UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.51 %
- according to Detergents Regulation EC 648/2004 : < 5%: Anionic surfactants, Non-ionic surfactants, NTA (nitrilotriacetic acid) and salts thereof, Polycarboxylates
Other constituents: Enzymes

The components of this product are reported in the following inventories:

- TCSI : Not in compliance with the inventory
- TSCA : Product contains substance(s) not listed on TSCA inventory.
- AIIC : Not in compliance with the inventory
- DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

sodium p-cumenesulphonate
Sodium polyacrylate

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

|| No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H290	:	May be corrosive to metals.
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H351	:	Suspected of causing cancer.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Met. Corr.	:	Corrosive to metals
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

thermodent® alka clean

No Change Service!

Version
03.08

Revision Date:
17.10.2024

Date of last issue: 19.09.2022

boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Eye Irrit. 2	H319

Classification procedure:

Calculation method
Calculation method
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.