

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : gigazyme®
Unique Formula Identifier (UFI) : 0QP1-X0MA-S00Q-Y5MQ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Cleaning agent

Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.com

E-mail address of person responsible for the SDS/Contact person : Application Specialists
+49 (0)40/ 521 00 666
AD@schuelke.com

1.4 Emergency telephone number

Emergency telephone number : Carechem 24 International:+44 1235 239670

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

schülke -t

gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2
Skin sensitisation, Category 1

H319: Causes serious eye irritation.
H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P280 Wear protective gloves/ eye protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Additional Labelling

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 1 - < 10
Alcohols, C13-15-branched and linear, butoxylated ethoxylated	111905-53-4	Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 <hr/> M-Factor (Acute aquatic toxicity): 1	>= 2.5 - < 10
Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether	113089-47-7	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 <hr/> M-Factor (Acute aquatic toxicity): 1	>= 2.5 - < 10
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411-37-XXXX	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with plenty of water.
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed : Do NOT induce vomiting.
Drink water as a precaution.
Consult a physician if necessary.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

Risks : May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder
Carbon dioxide (CO₂)
Water spray jet
Foam

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No information available.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Use prepared working solution as soon as possible - Do not store.
- Advice on protection against fire and explosion : No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store at room temperature in the original container. Do not store at temperatures above 30°C.
- Further information on storage conditions : Keep away from heat. Keep away from direct sunlight. Keep container tightly closed. Recommended storage temperature: -5 - 25°C
- Advice on common storage : No materials to be especially mentioned.

7.3 Specific end use(s)

- Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m3	GB EH40

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m3
sodium p-cumenesulphonate	Workers	Skin contact	Long-term systemic effects	191 mg/kg
	Workers	Skin contact	Long-term local effects	0.096 mg/cm2
	Workers	Inhalation	Long-term systemic effects	37.4 mg/m3

Predicted No Effect Concentration (PNEC)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Fresh water sediment	3.6 mg/kg
	Soil	0.63 mg/kg
	Marine sediment	2.9 mg/kg
	Sewage treatment plant	580 mg/l
sodium p-cumenesulphonate	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0.372 mg/kg
	Marine sediment	0.0372 mg/kg
	Soil	0.016 mg/kg

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection
Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection. Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection.
- Skin and body protection : Work uniform or laboratory coat.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : blue
- Odour : alcohol-like
- Odour Threshold : not determined
- pH : 5.5 - 8 (20 °C)
Concentration: 100 %
- Melting point/freezing point : < -5 °C
- Decomposition temperature : Not applicable
- Boiling point/boiling range : ca. 90 °C

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Flash point	:	44 °C Method: DIN EN ISO 13736
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	ca. 50 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	ca. 1.00 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	> 100 g/l (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	Not applicable
Viscosity Viscosity, dynamic	:	ca. 4 mPa*s Method: ISO 3219
Viscosity, kinematic	:	not determined
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

Metal corrosion rate	:	< 6.25 mm/a Not corrosive to metals
----------------------	---	--

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	None reasonably foreseeable.
---------------------	---	------------------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Never mix concentrates directly.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Acute inhalation toxicity : Remarks: not determined

Acute dermal toxicity : Remarks: not determined

sodium p-cumenesulphonate:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

|| Not classified based on available information.

Components:

ethanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

sodium p-cumenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	slight irritation
Remarks	:	Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

|| Causes serious eye irritation.

Components:

ethanol:

Method	:	OECD Test Guideline 405
Result	:	Eye irritation

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Eye irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

sodium p-cumenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

|| May cause an allergic skin reaction.

Respiratory sensitisation

|| Not classified based on available information.

Components:

ethanol:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Remarks : No data available

sodium p-cumenesulphonate:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

|| Not classified based on available information.

Components:

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Remarks: Non mutagenic

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Result: negative

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Germ cell mutagenicity- Assessment : Experiments showed mutagenic effects in cultured bacterial cells., Based on data from similar materials

sodium p-cumenesulphonate:

Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Remarks: Non mutagenic

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Carcinogenicity

|| Not classified based on available information.

Components:

ethanol:

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Carcinogenicity - Assessment : No data available

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Carcinogenicity - Assessment : No data available

sodium p-cumenesulphonate:

Species : Rat
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : no increase in tumors observed

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

|| Not classified based on available information.

Components:

ethanol:

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 5,200 mg/kg bw/day
Developmental Toxicity: NOAEL: 5,200 mg/kg bw/day

Reproductive toxicity - Assessment : Animal experiments showed mutagenic and teratogenic effects.

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Reproductive toxicity - Assessment : No data available

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Reproductive toxicity - Assessment : No data available

sodium p-cumenesulphonate:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg bw/day
General Toxicity F1: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 421

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 936 mg/kg body weight
Teratogenicity: NOAEL: 936 mg/kg bw/day

Reproductive toxicity - Assessment : study scientifically unjustified

STOT - single exposure

|| Not classified based on available information.

Components:

ethanol:

Remarks : No data available

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Remarks : No data available

sodium p-cumenesulphonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

|| Not classified based on available information.

Components:

ethanol:

Remarks : No data available

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Remarks : No data available

sodium p-cumenesulphonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ethanol:

Species : Rat
NOAEL : 1,730 mg/kg
LOAEL : 3,160 mg/kg
Application Route : Oral
Exposure time : 90 d

sodium p-cumenesulphonate:

Species : Rat
NOAEL : 763 mg/kg
Application Route : Oral
Target Organs : Cardio-vascular system
Remarks : Subchronic toxicity

Species : Rat
NOAEL : 60 mg/kg
Application Route : Dermal

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Exposure time : 2 yr
Method : OECD Test Guideline 453
Target Organs : Skin

Aspiration toxicity

|| Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l
Exposure time: 48 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 5,000 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
plants Exposure time: 72 h
Method: OECD Test Guideline 201

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Toxicity to fish : LC50 (Leuciscus idus): > 1 - 10 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 0.1 - < 1.0 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- : 1
icity)

Toxicity to daphnia and other : NOEC: > 0.1 - 1 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Toxicity to fish : LC50 (Leuciscus idus): > 1 - < 10 mg/l
Exposure time: 96 h
Method: DIN 38412

Toxicity to daphnia and other : EC50 (Daphnia magna): > 0.1 - < 1 mg/l
aquatic invertebrates Exposure time: 48 h
Remarks: The toxicological data has been taken from prod-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

ucts of similar composition.

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): > 0.1 - < 1 mg/l
Exposure time: 96 h
Remarks: The toxicological data has been taken from products of similar composition.

EC10 (Scenedesmus capricornutum (fresh water algae)): > 0.1 - < 1 mg/l
Exposure time: 96 h
Remarks: The toxicological data has been taken from products of similar composition.

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

sodium p-cumenesulphonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.
Method: OECD 301D / EEC 84/449 C6

Components:

ethanol:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 5 d
Method: OECD 301D / EEC 84/449 C6

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 - 100 %
Exposure time: 28 d

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

Method: OECD Test Guideline 301A

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD 301B/ ISO 9439/ EEC 84/449 C5

sodium p-cumenesulphonate:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

ethanol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.
Partition coefficient: n-octanol/water : log Pow: -0.14
Method: Calculated value

Alcohols, C13-15-branched and linear, ethers with ethyloxirane-oxirane polymermono-Me ether:

Bioaccumulation : Remarks: Accumulation in aquatic organisms is unlikely.

sodium p-cumenesulphonate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

ethanol:

Mobility : Remarks: No data available

sodium p-cumenesulphonate:

Mobility : Remarks: Not expected to adsorb on soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758



gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as supporting combustion according to the transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 18.99 %
according to Detergents Regulation EC 648/2004	:	5 - < 15%: Non-ionic surfactants < 5%: Anionic surfactants Other constituents: Enzymes

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme®

No Change Service!

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

on the Canadian DSL nor NDSL.

Alcohols, C13-15-branched and linear, ethers with
ethyloxirane-oxirane polymermono-Me ether
sodium p-cumenesulphonate
2-methyl-1,2-benzothiazol-3(2H)-one

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H225	:	Highly flammable liquid and vapour.
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Skin Irrit.	:	Skin irritation
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigazyme® *No Change Service!*

Version
07.00

Revision Date:
12.02.2025

Date of last issue: 24.01.2024

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Irrit. 2	H319
Skin Sens. 1	H317

Classification procedure:

Calculation method
Calculation method

|| Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.