

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**      **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : dialox™  
Unique Formula Identifier (UFI) : EXF0-70WP-000X-XY7A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Disinfectant for medical device  
  
Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Producer : BIOXAL  
ZI Sud Secteur A  
Route des Varennes  
  
71100 Chalon-sur-Saône  
France  
Telephone: + 33 (0) 3 85 92 30 00  
Telefax: + 33 (0) 3 85 92 30 12

Supplier : Schülke France SARL  
ZI Sud secteur A  
Route des Varennes  
  
71100 Chalon sur Saône  
France  
Telephone: + 33 (0) 3 85 92 30 00  
schuelkefrance.info@schuelke.com

E-mail address of person responsible for the SDS/Contact person : schuelkefrance.info@schuelke.com  
+ 33 (0) 3 85 92 30 00

### 1.4 Emergency telephone number

Emergency telephone number : Carechem 24 International: +44 1235 239670

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Corrosive to metals, Category 1  
Skin corrosion, Sub-category 1C

H290: May be corrosive to metals.  
H314: Causes severe skin burns and eye damage.

---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** -t

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

Serious eye damage, Category 1  
Long-term (chronic) aquatic hazard, Category 2

H318: Causes serious eye damage.  
H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

### Prevention:

P260 Do not breathe vapours, aerosols.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

hydrogen peroxide  
acetic acid

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

No hazards to be specially mentioned.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Solution of the following substances

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™** **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

## Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
hydrogen peroxide	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22-XXXX	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412  specific concentration limit Ox. Liq. 1; H271 >= 70 % Ox. Liq. 2; H272 50 - < 70 % Skin Corr. 1A; H314 >= 70 % Skin Corr. 1B; H314 50 - < 70 % Skin Irrit. 2; H315 35 - < 50 % Eye Dam. 1; H318 8 - < 50 % Eye Irrit. 2; H319 5 - < 8 % STOT SE 3; H335 >= 35 %	>= 5 - < 8
acetic acid	64-19-7 200-580-7 607-002-00-6 01-2119475328-30-XXXX	Flam. Liq. 3; H226 Skin Corr. 1A; H314 Eye Dam. 1; H318  specific concentration limit Skin Corr. 1A; H314 >= 90 % Skin Corr. 1B; H314 25 - < 90 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319	>= 3 - < 5

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

		10 - < 25 %	
peracetic acid	79-21-0 201-186-8 607-094-00-8 01-2119531330-56-XXXX	Flam. Liq. 3; H226 Org. Perox. D; H242 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10  specific concentration limit STOT SE 3; H335 >= 1 %	>= 0.25 - < 1
nitric acid	7697-37-2 231-714-2 007-030-00-3 01-2119487297-23-XXXX	Ox. Liq. 3; H272 Met. Corr. 1; H290 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318  specific concentration limit Ox. Liq. 3; H272 >= 65 % Skin Corr. 1A; H314 >= 20 % Skin Corr. 1B; H314 5 - < 20 % Eye Dam. 1; H318 >= 3 % Eye Irrit. 2; H319 1 - < 3 % Skin Irrit. 2; H315 1 - < 5 %	>= 0.1 - < 1

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** -†

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Take off all contaminated clothing immediately.
- If inhaled : Move the victim to fresh air and keep him calm.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,  
for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.  
Call a physician immediately.  
Rinse mouth with water.  
Give small amounts of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.
- Risks : Causes serious eye damage.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons  
Information Service.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Dry powder  
Foam  
Water spray jet
- Unsuitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : No information available.
- Hazardous combustion products : No hazardous combustion products are known

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

## 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Handle in accordance with good industrial hygiene and safety practice.  
Ensure adequate ventilation.  
Avoid contact with skin and eyes.  
Do not breathe vapour.

### 6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.  
Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
Suitable material for picking up.  
Kieselguhr  
Universal binder  
Unsuitable material for picking up:  
Absorbent material, organic  
Sawdust  
Keep in suitable, closed containers for disposal.  
Clean contaminated surface thoroughly.  
Flush with water.

### 6.4 Reference to other sections

see Section 8 + 13

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.  
Handle and open container with care.  
Never return unused material to storage receptacle.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep only in the original container. Suitable container and packaging materials for safe storage Plastic container of HDPE Polyethylene glass Unsuitable materials for containers Metals

Further information on stor- : Keep away from heat. Keep away from direct sunlight. Store

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



**dialox™**      **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

age conditions

in cool place. Do not keep the container sealed. Keep in a dry  
place. Recommended storage temperature: 5 - 30°C

Advice on common storage

: Do not store together with metals.  
Do not store together with alkalis.  
Do not store together with reducing agents.  
Do not store together with combustible substances.

## 7.3 Specific end use(s)

Specific use(s) : none

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m <sup>3</sup>	GB EH40	
		STEL	2 ppm 2.8 mg/m <sup>3</sup>	GB EH40	
		PEL	1.25 mg/m <sup>3</sup>	Biocide dossier	
acetic acid	64-19-7	STEL	1.25 mg/m <sup>3</sup>	Biocide dossier	
		STEL	20 ppm 50 mg/m <sup>3</sup>	GB EH40	
		TWA	10 ppm 25 mg/m <sup>3</sup>	GB EH40	
		TWA	10 ppm 25 mg/m <sup>3</sup>	2017/164/EU	
		Further information: Indicative			
		STEL	20 ppm 50 mg/m <sup>3</sup>	2017/164/EU	
peracetic acid	79-21-0	PEL	0.16 ppm 0.5 mg/m <sup>3</sup>	Biocide dossier	
		STEL	0.16 ppm 0.5 mg/m <sup>3</sup>	Biocide dossier	
		nitric acid	7697-37-2	STEL	1 ppm 2.6 mg/m <sup>3</sup>
STEL	1 ppm 2.6 mg/m <sup>3</sup>			2006/15/EC	
Further information: Indicative					

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
hydrogen peroxide	Workers	Inhalation	Long-term local effects	1.4 mg/m <sup>3</sup>

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™** **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

acetic acid	Workers	Inhalation	Acute local effects	25 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	25 mg/m <sup>3</sup>
nitric acid	Workers	Inhalation	Long-term local effects	2.6 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	2.6 mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
hydrogen peroxide	Fresh water	0.0126 mg/l
	Marine water	0.0126 mg/l
	Effects on waste water treatment plants	4.66 mg/l
	Fresh water sediment	0.047 mg/kg
	Marine sediment	0.047 mg/kg
	Soil	0.0023 mg/kg
acetic acid	Fresh water	3.058 mg/l
	Marine water	0.306 mg/l
	Fresh water sediment	11.36 mg/kg
	Marine sediment	1.136 mg/kg
	Intermittent use/release	30.58 mg/l
	Soil	0.478 mg/kg
peracetic acid	Effects on waste water treatment plants	85 mg/l
	Fresh water	0.0069 µg/l
	Marine water	0.069 µg/l
	Effects on waste water treatment plants	0.051 mg/l
	Effects on terrestrial organisms	0.282 mg/kg

## 8.2 Exposure controls

### Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection  
Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120 Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protection. Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Chemical resistant apron  
Boots  
Neoprene
- Respiratory protection : If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short period of time.  
Combination filter:  
A2B2E2K2 Hg NO P3 R D/ CO 20 P3 R D



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

Protective measures : No personal respiratory protective equipment normally required.  
Do not breathe vapour.  
Avoid contact with skin and eyes.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : colourless  
Odour : vinegar-like  
Odour Threshold : not determined

pH : 1.4 (20 °C)  
Concentration: 100 %

Melting point/freezing point : ca. -15 °C

Decomposition temperature : No data available

Boiling point/boiling range : ca. 98 °C  
Flash point : Not applicable

Evaporation rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.03 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : completely soluble (20 °C)

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : not determined

Viscosity  
Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

## 9.2 Other information

- Flammability (liquids) : Does not sustain combustion.
- Metal corrosion rate : > 6.25 mm/a  
Corrosive to metals Aluminium and Mild steel

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

- Hazardous reactions : To avoid thermal decomposition, do not overheat.  
Keep away from combustible material.

### 10.4 Conditions to avoid

- Conditions to avoid : Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

- Materials to avoid : Reducing agents  
Acid chlorides  
Aldehydes  
Metals  
Strong acids and strong bases

### 10.6 Hazardous decomposition products

Oxygen

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

- Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**      **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

## Components:

### hydrogen peroxide:

- Acute oral toxicity : LD50 (Rat): 801 mg/kg  
Remarks: Harmful if swallowed.
- Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, Annex VI, Table 3.1
- Acute dermal toxicity : LD50 (Rat): 6,500 mg/kg

### acetic acid:

- Acute oral toxicity : LD50 (Rat): 3,310 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 39.8 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### peracetic acid:

- Acute oral toxicity : LD50: 300 - 2,000 mg/kg  
Assessment: Harmful if swallowed.
- Acute inhalation toxicity : LC50: 1 - 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Harmful if inhaled.
- Acute dermal toxicity : LD50: 1,000 - 2,000 mg/kg  
Assessment: Harmful if inhaled.

### nitric acid:

- Acute oral toxicity : Remarks: No data available
- Acute inhalation toxicity : LC50 (Rat): 2.65 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403
- Acute dermal toxicity : Remarks: This information is not available.

### **Skin corrosion/irritation**

Causes severe burns.

### Product:

- Assessment : Causes severe skin burns and eye damage.  
Method : In Vitro Membrane Barrier Test Method for Skin Corrosion -  
CORROSITEX

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** -t

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

Result : Corrosive after 1 to 4 hours of exposure  
Remarks : The toxicological data has been taken from products of similar composition.

## Components:

### hydrogen peroxide:

Species : Rabbit  
Result : Corrosive after 3 minutes or less of exposure

### acetic acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes or less of exposure

### peracetic acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes or less of exposure

### nitric acid:

Species : Rabbit  
Result : Corrosive after 3 minutes or less of exposure

## **Serious eye damage/eye irritation**

Causes serious eye damage.

### Product:

Assessment : Causes severe skin burns and eye damage.  
Method : In Vitro Membrane Barrier Test Method for Skin Corrosion - CORROSITEX  
Remarks : The toxicological data has been taken from products of similar composition.

## Components:

### hydrogen peroxide:

Species : Rabbit  
Result : Irreversible effects on the eye

### acetic acid:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### peracetic acid:

Species : Rabbit  
Result : Irreversible effects on the eye

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** 

**dialog**<sup>TM</sup>

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

## **nitric acid:**

||Result : Irreversible effects on the eye

## **Respiratory or skin sensitisation**

### **Skin sensitisation**

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

## **Components:**

### **hydrogen peroxide:**

||Species : Guinea pig  
||Result : Did not cause sensitisation on laboratory animals.

### **acetic acid:**

||Result : No data available

### **peracetic acid:**

||Species : Mouse  
||Result : Did not cause sensitisation on laboratory animals.  
||Remarks : Substance is not considered to be potential skin sensitiser.

### **nitric acid:**

||Remarks : This information is not available.

## **Germ cell mutagenicity**

Not classified based on available information.

## **Components:**

### **hydrogen peroxide:**

||Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
||Genotoxicity in vivo : Test Type: in vivo assay  
Result: Non mutagenic

### **acetic acid:**

||Genotoxicity in vitro : Test Type: Ames test  
Result: negative

### **peracetic acid:**

||Germ cell mutagenicity- Assessment : Germ cell effects are not relevant., The substance has been tested for mutagenicity and other types of genotoxic effects in in vitro and in vivo experiments and is evaluated as being non-mutagenic.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

## **nitric acid:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

## **Carcinogenicity**

Not classified based on available information.

## **Components:**

### **hydrogen peroxide:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **acetic acid:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **peracetic acid:**

Carcinogenicity - Assessment : No structural alerts for carcinogenicity were found.

### **nitric acid:**

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

## **Reproductive toxicity**

Not classified based on available information.

## **Components:**

### **hydrogen peroxide:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

### **acetic acid:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

### **peracetic acid:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 100 mg/l  
Teratogenicity: NOAEL F1: 100 mg/l

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

### **nitric acid:**

Effects on fertility : Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL:  $\geq$  1,500 mg/kg bw/day  
Remarks: Animal testing did not show any effects on fertility.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**      **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

## STOT - single exposure

Not classified based on available information.

### Components:

#### hydrogen peroxide:

|| Target Organs : Respiratory Tract  
|| Assessment : May cause respiratory irritation.

#### acetic acid:

|| Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### peracetic acid:

|| Assessment : May cause respiratory irritation.

#### nitric acid:

|| Remarks : No data available

## STOT - repeated exposure

Not classified based on available information.

### Components:

#### hydrogen peroxide:

|| Assessment : No data available

#### acetic acid:

|| Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### peracetic acid:

|| Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### nitric acid:

|| Remarks : No data available

## Repeated dose toxicity

### Components:

#### hydrogen peroxide:

|| Species : Rat  
|| NOAEL : 26 mg/kg  
|| Application Route : Oral  
|| Exposure time : 3 months  
|| Remarks : No adverse effect has been observed in chronic toxicity tests.

---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

Species	: Rat
NOAEL	: 0.0029 mg/l
Application Route	: inhalation (vapour)
Method	: OECD Test Guideline 407

## acetic acid:

Species	: Rat
NOAEL	: 1,800 mg/kg
Application Route	: Oral
Exposure time	: 14-days

## peracetic acid:

Species	: Rat
NOAEL	: 15 mg/kg
Exposure time	: 90-day
Remarks	: No adverse effect has been observed in sub chronic toxicity tests.

## nitric acid:

Species	: Rat
NOAEL	: 1,500 mg/kg
Application Route	: Oral
Exposure time	: 28-day
Method	: OECD Test Guideline 422

## Aspiration toxicity

Not classified based on available information.

## Further information

### Product:

Remarks : No human information is available.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Brachidanio rerio): 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 10 - 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 10 - 100 mg/l



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

## **Components:**

### **hydrogen peroxide:**

Toxicity to fish	:	LC50 (Fish): 16.4 - 37.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 2.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l Exposure time: 72 h  NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.63 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

### **acetic acid:**

Toxicity to fish	:	LC50 (Gambusia affinis (Mosquito fish)): 251 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 95 mg/l Exposure time: 24 h
Toxicity to algae/aquatic plants	:	EC100 (Euglena gracilis): 720 mg/l Exposure time: 0.25 h

### **peracetic acid:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.1 mg/l Exposure time: 96 h Test Type: semi-static test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 0.73 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.061 mg/l Exposure time: 72 h Test Type: static test
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.00069 mg/l Exposure time: 33 d

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** -t

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

Species: Danio rerio (zebra fish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0121 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

### nitric acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12.5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 4.6 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : Remarks: No data available

### Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## 12.2 Persistence and degradability

### Components:

#### hydrogen peroxide:

Biodegradability : Result: Totally biodegradable  
Method: OECD Test Guideline 301

#### acetic acid:

Biodegradability : Result: Totally biodegradable  
Method: OECD 301D / EEC 84/449 C6

#### peracetic acid:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301

#### nitric acid:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

### Components:

#### hydrogen peroxide:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -1.57

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

## acetic acid:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

## peracetic acid:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0.26 (20 °C)  
Method: Calculated value

## nitric acid:

Bioaccumulation : Remarks: No data available

## 12.4 Mobility in soil

### Components:

#### hydrogen peroxide:

Mobility : Medium: Water  
Remarks: Hydrolyses readily.

#### acetic acid:

Mobility : Remarks: No data available

#### peracetic acid:

Mobility : Medium: Water  
Remarks: Hydrolyses readily.

#### nitric acid:

Mobility : Medium: Soil  
Remarks: Hydrolyses readily.

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No data is available on the product itself.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14: Transport information

### 14.1 UN number

- ADR** : UN 3265
- IMDG** : UN 3265
- IATA** : UN 3265

### 14.2 UN proper shipping name

- ADR** : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(acetic acid, peracetic acid)
- IMDG** : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(acetic acid, peracetic acid)
- IATA** : Corrosive liquid, acidic, organic, n.o.s.  
(acetic acid, peracetic acid)

### 14.3 Transport hazard class(es)

- |             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADR</b>  | : 8   |                  |
| <b>IMDG</b> | : 8   |                  |
| <b>IATA</b> | : 8   |                  |

### 14.4 Packing group

- ADR**
- Packing group : III
- Classification Code : C3
- Hazard Identification Number : 80
- Labels : 8
- Tunnel restriction code : (E)
- IMDG**
- Packing group : III
- Labels : 8
- EmS Code : F-A, S-B
- IATA (Cargo)**
- Packing instruction (cargo aircraft) : 856

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**      **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosive

### IATA (Passenger)

Packing instruction (passenger aircraft) : 852  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosive

## 14.5 Environmental hazards

### ADR

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

## 14.6 Special precautions for user

Remarks : Not classified as supporting combustion according to the transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : hydrogen peroxide

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0.75 %

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

## Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

## The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

## 15.2 Chemical safety assessment

**||** No Chemical Safety Assessment has been carried out for this mixture.

## SECTION 16: Other information

### Full text of H-Statements

H226	:	Flammable liquid and vapour.
H242	:	Heating may cause a fire.
H271	:	May cause fire or explosion; strong oxidizer.
H272	:	May intensify fire; oxidizer.
H290	:	May be corrosive to metals.
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H331	:	Toxic if inhaled.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

**dialox™** **No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Met. Corr.	:	Corrosive to metals
Org. Perox.	:	Organic peroxides
Ox. Liq.	:	Oxidizing liquids
Skin Corr.	:	Skin corrosion
STOT SE	:	Specific target organ toxicity - single exposure
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2006/15/EC / STEL	:	Short term exposure limit
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## Further information

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** -†

**dialox™**

**No Change Service!**

Version  
07.02

Revision Date:  
16.04.2024

Date of last issue: 23.09.2022

## Classification of the mixture:

Met. Corr. 1	H290
Skin Corr. 1C	H314
Eye Dam. 1	H318
Aquatic Chronic 2	H411

## Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.