

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

Trade name : quartacid® plus

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-  
stance/Mixture : Disinfectants and general biocidal products

Recommended restrictions  
on use : Restricted to professional users.

#### **1.3 Details of the supplier of the safety data sheet**

Producer : Schülke & Mayr GmbH  
Robert-Koch-Str. 2  
  
22851 Norderstedt  
Germany  
Telephone: +49 (0)40/ 52100-0  
Telefax: +49 (0)40/ 52100318  
mail@schuelke.com  
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.  
Cygnet House  
1, Jenkin Road  
  
Sheffield S9 1AT  
United Kingdom  
Telephone: +44 114 254 35 00  
Telefax: +44 114 254 35 01  
mail.uk@schulke.com

E-mail address of person  
responsible for the  
SDS/Contact person : Application Specialists  
+49 (0)40/ 521 00 666  
AD@schuelke.com

#### **1.4 Emergency telephone number**

Emergency telephone num-  
ber : Carechem 24 International: +44 1235 239670

### **SECTION 2: Hazards identification**

#### **2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Corrosive to metals, Category 1  
Acute toxicity, Category 4

H290: May be corrosive to metals.  
H302: Harmful if swallowed.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Skin corrosion, Sub-category 1B  
Serious eye damage, Category 1  
Short-term (acute) aquatic hazard, Category 1  
Long-term (chronic) aquatic hazard, Category 3

H314: Causes severe skin burns and eye damage.  
H318: Causes serious eye damage.  
H400: Very toxic to aquatic life.  
  
H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

#### **Prevention:**

P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

didecyldimethylammonium chloride

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched

#### **Additional Labelling**

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
didecyldimethylammonium chloride	7173-51-5 230-525-2 612-131-00-6 01-2119945987-15-XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20
1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate	5949-29-1 201-069-1 --- 01-2119457026-42-XXXX	Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) STOT SE 3; H335 (Respiratory system)	>= 10 - < 20
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 1 - < 10
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched	69011-36-5 500-241-6 --- ---	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412  specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 > 1 - < 10 %	>= 2.5 - < 3

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

For explanation of abbreviations see section 16.

---

## **SECTION 4: First aid measures**

### **4.1 Description of first aid measures**

- |                             |   |   |
|-----------------------------|---|---|
| General advice              | : | Take off all contaminated clothing immediately.   |
| <br>If inhaled              | : | <br>Move the victim to fresh air and keep him calm.<br>If symptoms persist, call a physician.   |
| <br>In case of skin contact | : | <br>Wash off immediately with plenty of water for at least 15 minutes.<br>If symptoms persist, call a physician.  |
| <br>In case of eye contact  | : | <br>In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Obtain medical attention. |
| <br>If swallowed            | : | <br>Do NOT induce vomiting.<br>Rinse mouth with water.<br>Give small amounts of water to drink.<br>Obtain medical attention.  |

### **4.2 Most important symptoms and effects, both acute and delayed**

- |           |   |   |
|-----------|---|---|
| Symptoms  | : | Treat symptomatically.  |
| <br>Risks | : | <br>Harmful if swallowed.<br>Causes serious eye damage.<br>Causes severe burns. |

### **4.3 Indication of any immediate medical attention and special treatment needed**

- |           |   |  |
|-----------|---|--|
| Treatment | : | For specialist advice physicians should contact the Poisons Information Service. |
|-----------|---|--|

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

- |                                    |   |  |
|------------------------------------|---|--|
| Suitable extinguishing media       | : | Dry powder<br>Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Water spray jet |
| <br>Unsuitable extinguishing media | : | <br>Do NOT use water jet.  |

### **5.2 Special hazards arising from the substance or mixture**

- |                                       |   |   |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
|---------------------------------------|---|---|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Hazardous combustion prod- : No hazardous combustion products are known  
ucts

### **5.3 Advice for firefighters**

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.  
for firefighters

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Increased risk of slipping in the presence of leaked / spilled  
product.

### **6.2 Environmental precautions**

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
Avoid subsoil penetration.

### **6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).

### **6.4 Reference to other sections**

see Section 8 + 13

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Advice on safe handling : Avoid formation of aerosol.  
Ensure adequate ventilation.  
Advice on protection against : No special protective measures against fire required.  
fire and explosion  
Hygiene measures : Keep away from food and drink.

### **7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage : Store at room temperature in the original container.  
areas and containers  
Further information on stor- : Keep away from heat. Keep container tightly closed.  
age conditions  
Advice on common storage : Do not store together with alkalis.

### **7.3 Specific end use(s)**

Specific use(s) : none

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

### **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

##### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m <sup>3</sup>	GB EH40
		STEL	500 ppm 1,250 mg/m <sup>3</sup>	GB EH40

##### **Derived No Effect Level (DNEL):**

Substance name	End Use	Exposure routes	Potential health effects	Value
didecyldimethylammonium chloride	Workers	Inhalation	Acute systemic effects, Long-term systemic effects	5.39 mg/m <sup>3</sup>
	Workers	Dermal	Acute systemic effects, Long-term systemic effects	1.55 mg/kg
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m <sup>3</sup>
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched	Workers	Inhalation	Long-term systemic effects	294 mg/m <sup>3</sup>

##### **Predicted No Effect Concentration (PNEC):**

Substance name	Environmental Compartment	Value
didecyldimethylammonium chloride	Fresh water	0.002 mg/l
	Marine water	0.0002 mg/l
	Fresh water sediment	2.82 mg/kg
	Marine sediment	0.28 mg/kg
	Sewage treatment plant	0.595 mg/l
	Soil	1.4 mg/kg
1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Fresh water sediment	7.52 mg/kg
	Marine sediment	0.752 mg/kg
	Soil	29.2 mg/kg
propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Intermittent use/release	140.9 mg/l
	Effects on waste water treatment plants	2251 mg/l
	Oral	160 mg/kg food

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched	Fresh water	0.074 mg/l
	Marine water	0.0074 mg/l
	Intermittent use/release	0.015 mg/l
	Sewage treatment plant	1.4 mg/l
	Soil	0.1 mg/kg
	Fresh water sediment	0.604 mg/kg
	Marine sediment	0.0604 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection  
Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Remarks : Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Chemical resistant apron

Respiratory protection : Not required; except in case of aerosol formation.  
Respirator with combination filter for vapour/particulate (EN 141)  
Recommended Filter type:  
ABEK-filter

Protective measures : Ensure adequate ventilation, especially in confined areas.  
Avoid contact with skin and eyes.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : nearly colourless, -, light yellow  
Odour : characteristic  
Odour Threshold : not determined

pH : 1.3 - 1.9 (20 °C)  
Concentration: 100 %

Melting point/freezing point : < -5 °C

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Decomposition temperature	Not applicable
Boiling point/boiling range	: ca. 90 °C
Flash point	: 39 °C Method: ISO 2719
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: 12 %(V) Raw material
Lower explosion limit / Lower flammability limit	: 2 %(V) Raw material
Relative vapour density	: No data available
Density	: ca. 1.01 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	
Water solubility	: completely soluble (20 °C)
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: 425 °C Raw material
Viscosity	
Viscosity, dynamic	: ca. 18 mPa*s (20 °C) Method: ISO 3219
Viscosity, kinematic	: not determined
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

### **9.2 Other information**

Flammability (liquids)	: Does not sustain combustion.
Metal corrosion rate	: > 6.25 mm/a Corrosive to metals Aluminium and Copper

---

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

### **10.2 Chemical stability**

The product is chemically stable.

### **10.3 Possibility of hazardous reactions**



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Hazardous reactions : None reasonably foreseeable.

### 10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Materials to avoid : Strong bases

### 10.6 Hazardous decomposition products

None reasonably foreseeable.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Harmful if swallowed.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: 1,444 mg/kg  
Method: Calculation method

#### **Components:**

##### **didecyldimethylammonium chloride:**

Acute oral toxicity : LD50 (Rat): 238 mg/kg  
Method: OECD Test Guideline 401  
Assessment: Toxic if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): 3,342 mg/kg

##### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 intravenous (Rat): 725 mg/kg

##### **propan-2-ol:**

Acute oral toxicity : LD50 (Rat): 5,840 mg/kg

Acute inhalation toxicity : LC50 (Rat): 39 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Acute dermal toxicity : LD50 (Rabbit): 13,900 mg/kg  
Method: OECD Test Guideline 402

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : LD50: > 5,000 mg/kg  
Method: literature value

### **Skin corrosion/irritation**

Causes severe burns.

### **Components:**

#### **didecyldimethylammonium chloride:**

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Species : Rabbit  
Result : Mild skin irritation  
Remarks : Based on available data, the classification criteria are not met.

#### **propan-2-ol:**

Result : No skin irritation

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Components:**

#### **didecyldimethylammonium chloride:**

Result : Irreversible effects on the eye

#### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation

#### **propan-2-ol:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Result : Eye irritation

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega.-hydroxy-, branched:**

Species : Rabbit  
Method : Draize Test  
Result : Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **didecyldimethylammonium chloride:**

Test Type : Buehler Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

#### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **propan-2-ol:**

Test Type : Buehler Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega.-hydroxy-, branched:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **didecyldimethylammonium chloride:**

Genotoxicity in vitro : Test system: Salmonella typhimurium  
Metabolic activation: Metabolic activation  
Method: OECD Test Guideline 471  
Result: Not mutagenic in Ames Test  
Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 475  
Result: negative

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 0 - 5 mg/ plate  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Test Type: Micronucleus test  
Test system: Human lymphocytes  
Method: Mutagenicity (in vitro mammalian cytogenetic test)  
Result: positive

Genotoxicity in vivo : Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 475  
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

### **propan-2-ol:**

Genotoxicity in vitro : Test Type: Ames test  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: Non mutagenic

Genotoxicity in vivo : Species: Mouse  
Method: Mutagenicity (micronucleus test)  
Result: Non mutagenic

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      *No Change Service!*

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

### Components:

#### **didecyldimethylammonium chloride:**

|| Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

|| Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **propan-2-ol:**

|| Remarks : Based on available data, the classification criteria are not met.

#### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega-hydroxy-, branched:**

|| Remarks : This information is not available.

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **didecyldimethylammonium chloride:**

|| Reproductive toxicity - Assessment : No data available

#### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

|| Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 2,500 mg/kg body weight

|| Reproductive toxicity - Assessment : No toxicity to reproduction

#### **propan-2-ol:**

|| Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 400 mg/kg body weight

|| Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

#### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega-hydroxy-, branched:**

|| Effects on fertility : Remarks: Animal testing did not show any effects on fertility.

|| Effects on foetal development : Remarks: No effects on fertility and early embryonic development were detected.

### **STOT - single exposure**

Not classified based on available information.

### Components:

#### **didecyldimethylammonium chloride:**

|| Remarks : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      *No Change Service!*

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

|| Exposure routes : Inhalation  
|| Assessment : May cause respiratory irritation.

### **propan-2-ol:**

|| Assessment : May cause drowsiness or dizziness.

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

|| Remarks : No data available

### **STOT - repeated exposure**

Not classified based on available information.

### **Components:**

#### **didecyldimethylammonium chloride:**

|| Remarks : No data available

### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

|| Remarks : No data available

### **propan-2-ol:**

|| Remarks : Based on available data, the classification criteria are not met.

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

|| Remarks : No data available

### **Repeated dose toxicity**

### **Components:**

#### **didecyldimethylammonium chloride:**

|| Remarks : No data available

### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

|| Species : Rat  
|| NOAEL : 4,000 mg/kg  
|| LOAEL : 8,000 mg/kg  
|| Application Route : Oral  
|| Exposure time : 10 d

### **propan-2-ol:**

|| Remarks : No data available

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

|| Species : Rat

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

NOAEL	: 50 mg/kg
Application Route	: Oral
Exposure time	: 2 yr
Target Organs	: Heart, Liver, Kidney

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

#### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Inhalation	: Target Organs: respiratory tract irritation
------------	---

### **Further information**

### **Product:**

Remarks	: No data is available on the product itself.
---------	---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

### **Components:**

#### **didecyldimethylammonium chloride:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 0.19 mg/l Exposure time: 96 h GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.062 mg/l Exposure time: 48 h GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.026 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 0.032 mg/l Exposure time: 34 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.014 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: Expert judgement and weight of evidence determination.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

M-Factor (Chronic aquatic toxicity) : 1

### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 85 - 120 mg/l  
Exposure time: 72 h

Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l  
Exposure time: 8 Days  
Test Type: static test

Toxicity to microorganisms : (Pseudomonas putida): > 10,000 mg/l  
Exposure time: 16 h

### **propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 10,000 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test

EC50 (green algae): 1,800 mg/l  
Exposure time: 7 d

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 2.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 2.5 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 0.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 1.73 mg/l  
Method: QSAR

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.36 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: QSAR



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

II

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD 301D / EEC 84/449 C6

#### **Components:**

##### **didecyldimethylammonium chloride:**

Biodegradability : Concentration: 10 mg/l  
Result: Readily biodegradable.  
Biodegradation: 72 %  
Exposure time: 28 d  
Method: OECD 301B/ ISO 9439/ EEC 84/449 C5  
GLP: yes

##### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **propan-2-ol:**

Biodegradability : Result: Readily biodegradable.

##### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega-hydroxy-, branched:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### **Components:**

##### **didecyldimethylammonium chloride:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 46 d  
Bioconcentration factor (BCF): 81

##### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

##### **propan-2-ol:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

4).  
Partition coefficient: n-octanol/water : log Pow: 0.05 (20 °C)  
Method: OECD Test Guideline 107

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

Bioaccumulation : Remarks: None reasonably foreseeable.

Partition coefficient: n-octanol/water : Remarks: Not applicable

## **12.4 Mobility in soil**

### **Components:**

#### **didecyldimethylammonium chloride:**

Mobility : Remarks: Mobile in soils

#### **1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate:**

Mobility : Remarks: No data available

#### **propan-2-ol:**

Mobility : Remarks: Mobile in soils

### **Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:**

Mobility : Remarks: No data available

## **12.5 Results of PBT and vPvB assessment**

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **12.6 Other adverse effects**

### **Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No data is available on the product itself.

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



## **quartacid® plus**      *No Change Service!*

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

Product	:	Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number

ADR	:	UN 1903
IMDG	:	UN 1903
IATA	:	UN 1903

### 14.2 UN proper shipping name

ADR	:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (didecyldimethylammonium chloride)
IMDG	:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (didecyldimethylammonium chloride)
IATA	:	Disinfectant, liquid, corrosive, n.o.s. (didecyldimethylammonium chloride)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	:	8
IMDG	:	8
IATA	:	8

### 14.4 Packing group

<b>ADR</b>	
Packing group	: III
Classification Code	: C9
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)
<b>IMDG</b>	
Packing group	: III
Labels	: 8
EmS Code	: F-A, S-B
<b>IATA (Cargo)</b>	
Packing instruction (cargo aircraft)	: 856
Packing instruction (LQ)	: Y841
Packing group	: III
Labels	: Corrosive
<b>IATA (Passenger)</b>	
Packing instruction (passen-	: 852

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

ger aircraft)  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosive

### **14.5 Environmental hazards**

#### **ADR**

Environmentally hazardous : yes

#### **IMDG**

Marine pollutant : yes

### **14.6 Special precautions for user**

Remarks : Not classified as supporting combustion according to the  
transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:  
Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)

Regulation (EC) on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 7.65 %

according to Detergents : < 5%: Non-ionic surfactants  
Regulation EC 648/2004

#### **Other regulations:**

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

### **The components of this product are reported in the following inventories:**

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory

### **15.2 Chemical safety assessment**

**||** No Chemical Safety Assessment has been carried out for this mixture.

## **SECTION 16: Other information**

### **Full text of H-Statements**

H225	: Highly flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H400	: Very toxic to aquatic life.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### **Full text of other abbreviations**

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Corr.	: Skin corrosion
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Met. Corr. 1	H290
Acute Tox. 4	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 3	H412

#### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



## **quartacid® plus**      **No Change Service!**

Version  
06.05

Revision Date:  
19.09.2024

Date of last issue: 08.09.2022

---

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.